




Product Family:	Injection Molded Butt Fusion Fitting	Fitting Design:	Reducing Tee
Resin Status:	NSF Listed Bi-Modal Virgin Resin	Nominal Primary Pipe Sizes:	3" – 12"
Resin Type:	ASTM D3350 designated PE3408/PE4710/PE100	Nominal Pipe Standard:	IPS
Resin Cell Class:	445574C-CC3	Currently Available SDR's:	17, 11
Manufactured and tested to meet requirements of: ASTM D2513, ASTM D3261, ANSI/AWWA C901 & C906, FM 1613, NSF 61 For use on pipe and fittings conforming to: ASTM D2513, ASTM D3035, ASTM F-714			


For Material and Testing information, please refer to our Molded Fitting Specification Sheet.

IPS

SDR 17 (standard dimension ratio)

125 PSI (MAOP @ 73.4° F)

Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.82	3.50	2.38	3.50	2.95	5.75	1.30	100801	-----
4 x 2 IPS	13.85	4.50	2.38	4.00	3.00	6.25	2.40	100803	-----
4 x 3 IPS	13.85	4.50	3.50	4.00	3.50	6.80	2.60	100805	-----
6 x 2 IPS	18.00	6.63	2.38	4.75	3.90	8.10	6.60	100807	-----
6 x 3 IPS	18.00	6.63	3.50	4.75	3.50	8.70	6.80	100809	-----
6 x 4 IPS	18.00	6.63	4.50	4.75	4.00	8.30	6.80	100811	-----
8 x 2 IPS	23.40	8.63	2.38	5.75	3.00	10.60	13.65	100813	-----
8 x 3 IPS	23.40	8.63	3.50	5.75	3.50	11.00	14.75	100815	-----
8 x 4 IPS	23.40	8.63	4.50	5.75	3.92	10.50	15.00	100817	-----
8 x 6 IPS	23.30	8.63	6.63	5.75	4.70	11.50	15.85	100819	-----
10 x 4 IPS	26.88	10.75	4.50	6.40	4.00	12.32	24.25	100821	-----
10 x 6 IPS	26.88	10.75	6.63	6.40	4.70	12.34	25.10	100823	-----
10 x 8 IPS	30.82	10.75	8.63	6.40	5.50	12.80	26.65	100825	-----
12 x 6 IPS	30.82	12.75	6.63	7.10	4.70	14.00	41.40	100827	-----
12 x 8 IPS	30.82	12.75	8.63	7.10	5.70	14.94	43.20	100829	-----
12 x 10 IPS	31.90	12.75	10.75	7.10	6.30	15.50	46.50	100831	-----



IPS

SDR 11 (standard dimension ratio)

200 PSI (MAOP @ 73.4° F)


Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.82	3.50	2.38	3.50	2.95	5.75	1.95	100800	FM 200
4 x 2 IPS	13.85	4.50	2.38	4.00	3.00	6.25	2.40	100802	FM 200
4 x 3 IPS	13.85	4.50	3.50	4.00	3.50	6.80	3.50	100804	FM 200
6 x 2 IPS	18.00	6.63	2.38	4.75	3.90	8.10	6.20	100806	FM 200
6 x 3 IPS	18.00	6.63	3.50	4.75	3.50	8.70	9.25	100808	FM 200
6 x 4 IPS	18.00	6.63	4.50	4.75	4.00	8.30	9.25	100810	FM 200
8 x 2 IPS	23.40	8.63	2.38	5.75	3.00	10.60	18.70	100812	FM 200
8 x 3 IPS	23.40	8.63	3.50	5.75	3.50	11.00	19.60	100814	FM 200
8 x 4 IPS	23.40	8.63	4.50	5.75	3.92	10.50	19.60	100816	FM 200
8 x 6 IPS	23.30	8.63	6.63	5.75	4.70	11.50	21.60	100818	FM 200
10 x 4 IPS	26.88	10.75	4.50	6.40	4.00	12.32	32.80	100820	FM 200
10 x 6 IPS	26.88	10.75	6.63	6.40	4.70	12.34	34.60	100822	FM 200
10 x 8 IPS	30.82	10.75	8.63	6.40	5.50	12.80	36.55	100824	FM 200
12 x 6 IPS	30.82	12.75	6.63	7.10	4.70	14.00	55.75	100826	FM 200
12 x 8 IPS	30.82	12.75	8.63	7.10	5.70	14.94	59.05	100828	FM 200
12 x 10 IPS	31.90	12.75	10.75	7.10	6.30	15.50	52.30	100830	FM 200

IPS

SDR 9 (standard dimension ratio)

255 PSI (MAOP @ 73.4° F)

Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.82	3.50	2.38	3.50	2.95	5.75		100832	-----
4 x 2 IPS	13.85	4.50	2.38	4.00	3.00	6.25		100836	-----
4 x 3 IPS	13.85	4.50	3.50	4.00	3.50	6.80		100834	-----
6 x 2 IPS	18.00	6.63	2.38	4.75	3.90	8.10		100842	-----
6 x 3 IPS	18.00	6.63	3.50	4.75	3.50	8.70		100840	-----
6 x 4 IPS	18.00	6.63	4.50	4.75	4.00	8.30		100838	-----
8 x 2 IPS	23.40	8.63	2.38	5.75	3.00	10.60		100850	-----
8 x 3 IPS	23.40	8.63	3.50	5.75	3.50	11.00		100848	-----
8 x 4 IPS	23.40	8.63	4.50	5.75	3.92	10.50		100846	-----
8 x 6 IPS	23.30	8.63	6.63	5.75	4.70	11.50		100844	-----



IPS

SDR 7 (standard dimension ratio)

335 PSI (MAOP @ 73.4° F)

Nominal Size	L [in.]	D [in.]	d [in.]	L1 [in.]	L2 [in.]	Z [ins.]	Weight	Item Code	FM Class
3 x 2 IPS	11.82	3.50	2.38	3.50	2.95	5.75		100833	-----
4 x 2 IPS	13.85	4.50	2.38	4.00	3.00	6.25		100837	-----
4 x 3 IPS	13.85	4.50	3.50	4.00	3.50	6.80		100835	-----
6 x 2 IPS	18.00	6.63	2.38	4.75	3.90	8.10		100843	-----
6 x 3 IPS	18.00	6.63	3.50	4.75	3.50	8.70		100841	-----
6 x 4 IPS	18.00	6.63	4.50	4.75	4.00	8.30		100839	-----
8 x 2 IPS	23.40	8.63	2.38	5.75	3.00	10.60		100851	-----
8 x 3 IPS	23.40	8.63	3.50	5.75	3.50	11.00		100849	-----
8 x 4 IPS	23.40	8.63	4.50	5.75	3.92	10.50		100847	-----
8 x 6 IPS	23.30	8.63	6.63	5.75	4.70	11.50		100845	-----